

PRODUCT-DETAILS

E 9F22 GG125

E 9F22 GG125 Fuse link



General Information

Extended Product Type	E 9F22 GG125
Product ID	2CSM258343R1801
EAN	8012542583431
Catalog Description	E 9F22 GG125 Fuse link
Long Description	E 9F22 GG125 is a 22x58 mm cylindrical fuse for circuits protection

Ordering

EAN	8012542583431
Minimum Order Quantity	10 piece
Customs Tariff Number	85361010

Dimensions

Product Net Width	0.002 m
Product Net Height	0.006 m
Product Net Depth / Length	0.002 m
Product Net Weight	0.048 kg

Container Information

Package Level 1 Units	10 piece
-----------------------	----------

Package Level 1 Width	0.045 m
Package Level 1 Height	0.11 m
Package Level 1 Depth / Length	0.06 m
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	8012542583431

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Additional Information

Dimensions	22x58 mm
Fuse Size	Cylindrical IEC 22x58
Fuse Type	Cylindrical gG
Maximum Breaking Capacity	120 kA
Power Loss	at Rated Operating Conditions per Pole 11.3 W
Product Main Type	E 9F
Product Name	Fuse link
Rated Current (I _n)	125 A
Rated Voltage (U _r)	500...500 V
Rated Operational Voltage	500 V AC
Release Type	Other
RoHS Date	27/01/2014
Voltage Range	500 V AC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CSC444002B0204
Declaration of Conformity - CE	2CSC444004D2701
Environmental Information	See RoHS Information
Instructions and Manuals	Not applicable
RoHS Information	2CSC444012K2701

Classifications

ETIM 4	EC002704 - Cylindrical fuse
ETIM 5	EC002704 - Cylindrical fuse
ETIM 6	EC002704 - Cylindrical fuse
ETIM 7	EC002704 - Cylindrical fuse
Object Classification Code	F
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety devices → Cylindrical and D0 Fuses

